



Canadian Vaccine Inserts

One of the most important actions you can take in making an informed decision is to read the vaccine product monograph and patient information sheets for each vaccine being considered.

A product monograph includes critical information such as:

- List of ingredients
- Indications and contraindications of vaccination
- Dosing and overdosing
- Warning and precautions
- Adverse reactions
- Drug and food interactions
- Mechanism of action
- Clinical trial information
- Special populations including pregnancy and breast feeding

The standard of providing product monograph information to consumers is routinely denied those receiving vaccine products. Instead, a consumer is required to conduct their own search of the internet for the vaccine monographs.

Below is a listing of the various vaccine products licensed for use in Canada with links to the product monograph.

All vaccines are from **Approved Vaccines in Canada List:**

<https://www.canada.ca/en/public-health/services/immunization/reporting-adverse-events-following-immunization/user-guide-completion-submission-aefi-reports/approved-vaccines.html>

Chikungunya - **IXCHIQ**

Indicated for individuals 18 years of age and older who are at increased risk of exposure to CHIKV.

<https://www.fda.gov/media/173758/download>

Cholera - **Dukoral**[®]

Inactivated Cholera and LT-producing ETEC Diarrhea vaccine for adults and children from 2 years of age.

https://www.ema.europa.eu/en/documents/product-information/dukoral-epar-product-information_en.pdf

Cholera - **VAXCHORA**[®]

Cholera vaccine, live attenuated, oral, approved for use in persons 2 through 64 years of age.

<https://www.fda.gov/media/128415/download>

COVID-19 mRNA - **COMIRNATY**[®]

COVID-19 mRNA vaccine, Omicron KP.2 variant for individuals 6 months of age and older.

https://www.gov.mb.ca/asset_library/en/covidvaccine/pfizer-comirnaty-xbb-pm.pdf

COVID-19 - **NUVAXOID**[™]

COVID-19 Vaccine (Recombinant protein, Adjuvanted) for individuals 12 years of age and older.

https://www.gov.mb.ca/asset_library/en/covidvaccine/novavax-nuvaxovid-xbb.1.5-pm.pdf



COVID mRNA - **SPIKEVAX**[®]

COVID-19 mRNA vaccine, Omicron KP.2 variant, for individuals 6 months of age and older.

<https://www.fda.gov/media/128415/download>

DTaP - **Tripacel**[®]

Diphtheria and Tetanus Toxoids and Acellular Pertussis Vaccine adsorbed, for infants from the age of 2 months and in children up to 6 years of age (prior to their 7th birthday).

https://pdf.hres.ca/dpd_pm/00008524.PDF

DTaP-HB-IPV-Hib - **INFANRIX hexa**[®]

Adsorbed Hib reconstituted with PEDIARIX. Combined Diphtheria and Tetanus Toxoids, Acellular Pertussis, Hepatitis B (recombinant), Inactivated Poliomyelitis and adsorbed conjugated Haemophilus influenzae type b, for primary and booster vaccination of infants from the age of 6 weeks and toddlers.

https://www.ema.europa.eu/en/documents/product-information/infanrix-hexa-epar-product-information_en.pdf

DTaP-IPV - **QUADRACEL**[®]

Diphtheria and Tetanus Toxoids and Acellular Pertussis Vaccine Adsorbed Combined with Inactivated Poliomyelitis vaccine. A single dose of Quadracel is approved for use as a fifth dose in the diphtheria, tetanus, pertussis (DTaP) vaccination series, and as a fourth or fifth dose in the inactivated poliovirus (IPV) vaccination series in children 4 through 6 years of age whose previous DTaP vaccine doses have been with Pentacel, DAPTACEL and/or VAXELIS.

<https://www.fda.gov/media/146047/download>



DTaP-IPV-Hib - **INFANRIX**[®]-IPV/Hib

HIBERIX[®] reconstituted with INFANRIX[®]-IPV. Combined diphtheria, tetanus, acellular pertussis, inactivated poliomyelitis, Haemophilus influenzae type b vaccine. Not indicated for infants less than 6 weeks or for children 7 years of age or older.

<https://ca.gsk.com/media/6248/infanrix-ipv-hib.pdf>

DTaP-IPV-Hib - **Pentacel**[®]

Act-HIB[®] reconstituted with QUADRACEL[®], for primary immunization of infants from the age of 2 months and in children up to 6 years of age (prior to their 7th birthday).

https://pdf.hres.ca/dpd_pm/00015723.PDF

Ebola Zaire - **ERVEBO**[®]

Ebola Zaire Vaccine (rVSVΔG-ZEBOV-GP, live) for individuals 12 months of age and older.

https://www.merck.com/product/usa/pi_circulars/e/ervebo/ervebo_pi.pdf



Hep A - **Avaxim**[®]

Hepatitis A Vaccine Inactivated, for persons 12 years of age and older.

https://pdf.hres.ca/dpd_pm/00032192.PDF

Hep A - **Havrix**[®] 1440 and **Havrix**[®] 720 (Junior)

Hepatitis A Vaccine Inactivated, for persons 12 months of age and older.

https://pdf.hres.ca/dpd_pm/00047293.PDF

Hep A - **Vaqta**[®]

Hepatitis A Vaccine Inactivated, for individuals 12 months of age and older.

https://pdf.hres.ca/dpd_pm/00019913.PDF

Hep A + Hep B - **Twinrix**[®] + **Junior**

Combined hepatitis A (inactivated) and hepatitis B (recombinant) vaccine, for active immunization against hepatitis A and hepatitis B virus infection in adults, adolescents, children and infants.

<https://ca.gsk.com/media/6262/twinrix.pdf>

Hep B - **Engerix**[®]-B

Hepatitis B vaccine [recombinant] administered at any age from birth onwards.

https://pdf.hres.ca/dpd_pm/00050531.PDF

Hep B - **Recombivax HB**[®]

Hepatitis B vaccine [recombinant] recommended in persons of all ages.

https://pdf.hres.ca/dpd_pm/00007664.PDF

Hep B - **PREHEVBRIO™**

3-antigen Hepatitis B Vaccine (recombinant) for use in adults 18 years of age and older.

<https://www.fda.gov/media/154561/download>

Hib - **Act-HIB®**

Haemophilus b Conjugate Vaccine (Tetanus Protein – Conjugate) for children between 2 to 59 months of age.

https://pdf.hres.ca/dpd_pm/00047293.PDF

HPV 9 - **Gardasil® 9**

Human Papillomavirus 9-valent Vaccine, Recombinant for individuals 9 through 45 years of age

https://www.merck.ca/en/wp-content/uploads/sites/20/2021/04/GARDASIL_9-PM_E.pdf

HPV 2 - **Cervarix®**

Human Papillomavirus vaccine Types 16 and 18 (Recombinant, AS04 adjuvanted) approved for use in females 9 through 25 years of age.

<https://www.fda.gov/media/78013/download>



Influenza - **Fluviral®**

Trivalent Influenza Vaccine (Split Virion, Inactivated) for adults and children from 6 months of age.

https://pdf.hres.ca/dpd_pm/00047371.PDF

Influenza - **Fluad®**

Influenza Vaccine, Surface Antigen, Inactivated, Adjuvanted with MF59C.1 for infants 6 months to less than 2 years of age and in elderly 65 years of age and older.

<https://www.cslseqirus.ca/-/media/seqirus-canada/docs-en/2020-fluad-product-monograph.pdf>

Influenza - **Afluria® Tetra**

Quadrivalent Inactivated Influenza Vaccine (Split Virion) for adults and children aged 5 years or older.

<https://www.fda.gov/media/154561/download>

Influenza - **Flulaval® Tetra**

Quadrivalent Influenza Vaccine (Split Virion, Inactivated) for adults and children from 6 months of age.

<https://www.gov.mb.ca/health/flu/docs/pm/flulaval-tetra.pdf>

Influenza - **Fluzone®**

Influenza Virus Vaccine Trivalent Types A and B (Split Virion) for adults and children 6 months of age and older.

https://pdf.hres.ca/dpd_pm/00075545.PDF

Influenza - **Fluzone® Quadrivalent**

Influenza Virus Vaccine Quadrivalent Types A and B (Split Virion) for adults and children 6 months of age and older.

<https://www.gov.mb.ca/health/flu/docs/pm/flulaval-tetra.pdf>



Influenza - **Influvac®**

Influenza vaccine, surface antigen, inactivated, for adults and children from 3 years of age.

https://pdf.hres.ca/dpd_pm/00045022.PDF

Influenza - **Influvac® Tetra**

Quadrivalent influenza vaccine, surface antigen, inactivated, for adults of 18 years of age and older.

https://pdf.hres.ca/dpd_pm/00049880.PDF

Influenza - **FLUZONE High-Dose**[®]

Influenza Virus Vaccine Trivalent Types A and B (Split Virion) for adults 65 years of age and older.

<https://www.gov.mb.ca/health/flu/docs/pm/fluzone-hd-qiv.pdf>

Influenza - **AREPANRIX**[™] **H5N1**

AS03-adjuvanted Quebec H5N1 Influenza Vaccine for use in adults and children from 6 months of age.

<https://ca.gsk.com/media/7080/arepanrix-h5n1-pm-en.pdf>

Influenza - **Flucelvax**[®]

Influenza Vaccine (surface antigen, inactivated, prepared in cell cultures) for persons 6 months of age and older.

<https://www.fda.gov/media/85322/download>

Influenza - **Flucelvax**[®] **Quad**

Influenza Vaccine (surface antigen, inactivated, prepared in cell cultures) for adults and children aged 2 years or older.

<https://www.cslseqirus.ca/-/media/seqirus-canada/docs-en/flucelvax-quad-ca-pm-2-approved-8mar2021.pdf>

Influenza - **Flumist**[®] **Quadrivalent**

Influenza Vaccine (live, attenuated) for individuals 2-59 years of age.

<https://www.astrazeneca.ca/content/dam/az-ca/downloads/productinformation/flumist-glaiv-product-monograph-en.pdf>

Influenza - **Supemtek**[™]

Quadrivalent Recombinant Influenza Vaccine. Influenza Virus Type A (H1N1), Type A (H3N2), Type B (Victoria) and Type B (Yamagata) strains for use in persons 18 years of age and older.

<https://www.sanofi.com/assets/countries/canada/docs/products/vaccines/supemtek-en.pdf>

Influenza - **FOCLIVIA**[®]

Pandemic influenza vaccine (surface antigen, inactivated, adjuvanted with MF59C.1) for individuals 6 months of age and older.

https://www.ema.europa.eu/en/documents/product-information/foclivia-epar-product-information_en.pdf

Influenza - **PANENZA**[®]

Pandemic Influenza vaccine (H1N1)v (split virion, inactivated) individuals 6 months of age and older.

https://pdf.hres.ca/dpd_pm/00073058.PDF

IPV - **Imovax**[®] **Polio**

Inactivated Poliomyelitis Vaccine (Vero Cell Origin) for active immunization against poliomyelitis caused by poliovirus types 1, 2 and 3 from 2 months of age in infants, children and adults both for primary immunization and for boosters.

https://pdf.hres.ca/dpd_pm/00073110.PDF



Japanese Encephalitis - **IXIARO**[®]

Japanese encephalitis vaccine (inactivated, adsorbed) for persons 2 months of age and older.

https://pdf.hres.ca/dpd_pm/00044740.PDF

Men B - **BEXSERO**[®]

Multicomponent Meningococcal B Vaccine (recombinant, adsorbed) for f individuals from 2 months through 25 years old.

<https://ca.gsk.com/media/6309/bexsero.pdf>

Men B - **Trumenba**[®]

Meningococcal group B vaccine [Bivalent recombinant lipoprotein (rLP2086)] for individuals 10 through 25 years of age.

https://www.pfizer.ca/files/Trumenba_PM_EN.pdf

Men C C - **MENJUGATE Liquid**

Meningococcal Group C Conjugate vaccine for children from 2 months of age, adolescents and adults.

<https://ca.gsk.com/media/6250/menjugate-liquid.pdf>

Men C C - **NeisVac-C®**

Meningococcal Group C-TT Conjugate vaccine, adsorbed, for children from 2 months of age, adolescents and adults.

<https://professionals.wrha.mb.ca/old/professionals/immunization/files/men-c-product-monograph.pdf>

Men C ACYW - **MenQuadfi™**


Meningococcal (Groups A, C, Y, W) Polysaccharide Tetanus Toxoid Conjugate vaccine for individuals from the age of 12 months and older.

https://www.ema.europa.eu/en/documents/product-information/menquadfi-epar-product-information_en.pdf

Men C ACYW 135 - **Menactra®**

Meningococcal (Groups A, C, Y and W-135) Polysaccharide Diphtheria Toxoid Conjugate vaccine for persons 9 months through 55 years of age.

https://pdf.hres.ca/dpd_pm/00042668.PDF



Men C ACYW 135 - **Menveo™**

Meningococcal (Groups A, C, W-135 and Y) Oligosaccharide CRM 197 Conjugate vaccine for individuals 2 months through 55 years of age.

<https://ca.gsk.com/media/6251/menveo.pdf>

Men C ACYW 135 - **Nimenrix®**

Meningococcal polysaccharide groups A, C, W-135 and Y conjugate vaccine for individuals from 6 weeks to 55 years.

https://pdf.hres.ca/dpd_pm/00068698.PDF

MMR - **M-M-R® II**

Measles, mumps and rubella virus vaccine, live, attenuated for persons 12 months of age or older.

https://www.merck.ca/en/wp-content/uploads/sites/20/2021/04/MMR_II-PM_E.pdf

MMR - **PRIORIX®**


Combined measles, mumps and rubella vaccine, live, attenuated for active immunization against infection by measles, mumps and rubella.

<https://ca.gsk.com/media/6254/priorix.pdf>

MMR Var - **PRIORIX-TETRA™**

Combined measles, mumps, rubella and varicella vaccine, live, attenuated, for individuals from 9 months to 6 years of age.

https://pdf.hres.ca/dpd_pm/00040662.PDF



MMR Var - **ProQuad®**

Measles, Mumps, Rubella and Varicella Virus vaccine, live, for children 12 months through 6 years of age.

https://pdf.hres.ca/dpd_pm/00037770.PDF

Pneu C 10 - **SYNFLORIX®**

Pneumococcal conjugate vaccine (Non-Typeable Haemophilus influenzae (NTHi) protein D, diphtheria or tetanus toxoid conjugates) adsorbed for infants and children from 6 weeks up to 5 years of age

https://pdf.hres.ca/dpd_pm/00037770.PDF

Pneu C 13 - **Pprevnar® 13**

Pneumococcal 13-valent Conjugate Vaccine (Diphtheria CRM 197 Protein) for infants and children from 6 weeks to 5 years of age (prior to the 6 th birthday).

https://pdf.hres.ca/dpd_pm/00052583.PDF

Pneu C 15 - **VAXNEUVANCE**[®]

Pneumococcal 15-valent Conjugate Vaccine [CRM 197 Protein], adsorbed, for individuals 6 weeks of age and older.

https://www.merck.ca/en/wp-content/uploads/sites/20/2021/04/VAXNEUVANCE-PM_E.pdf

Pneu C 20 - **Pprevnar 20**[™]

Pneumococcal 20-valent Conjugate Vaccine (Diphtheria CRM 197 Protein) for adults 18 years of age and older.

https://pdf.hres.ca/dpd_pm/00065729.PDF

Pneu C 21 - **CAPVAXIVE**[®]

Pneumococcal 21-valent conjugate vaccine for adults 18 years of age and older.

https://pdf.hres.ca/dpd_pm/00076331.PDF

Pneu C 23 - **Pneumovax**[®] 23

Pneumococcal vaccine, polyvalent, MSD Std, recommended for selected individuals.

https://pdf.hres.ca/dpd_pm/00035855.PDF

Rabies - **Imovax**[®] Rabies

Rabies Vaccine Inactivated (DCO) for individuals of all age groups.

https://pdf.hres.ca/dpd_pm/00029382.PDF

Pneu C 23 - **RabAvert**[®]

Rabies vaccine recommended for pre-exposure and post-exposure vaccination in all age groups.

<https://www.simcoemuskokahealth.org/docs/default-source/jfy-health-care-professionals/180814-rabavert-monograph-2014.pdf?sfvrsn=4>

Rotavirus - **ROTARIX**[®]

Human rotavirus, live, attenuated, oral vaccine for infants from the age of 6 weeks.

https://pdf.hres.ca/dpd_pm/00046719.PDF

Rotavirus - **RotaTeq**[®]

Rotavirus vaccine, live, oral, pentavalent, indicated for the prevention of rotavirus gastroenteritis caused by the serotypes G1, G2, G3, G4, and G-serotypes that contain P1A.

https://www.merck.ca/en/wp-content/uploads/sites/20/2021/04/ROTATEQ-PM_E.pdf

RSV - **AREXVY**

Respiratory Syncytial Virus (RSV) Vaccine (recombinant, AS01E adjuvanted) for individuals 60 years of age and older, and individuals 50 through 59 years of age who are at increased risk for LRTD caused by RSV.

<https://www.fda.gov/files/vaccines,%20blood%20&%20biologics/published/Package-Insert-AREXVY.pdf>

RSV - **ABRYSVO**[™]

Respiratory Syncytial Virus Stabilized Prefusion F Subunit vaccine for infants from birth through 6 months of age following maternal immunisation during pregnancy.

https://pdf.hres.ca/dpd_pm/00035855.PDF



RSV - **mRESVIA**[™]

Respiratory Syncytial Virus (RSV) mRNA vaccine for individuals 60 years of age and older, and individuals 18 through 59 years of age who are at increased risk for LRTD caused by RSV.

<https://www.fda.gov/media/179005/download>

Smallpox - **ACAM2000**[®]

Smallpox Vaccine (Vaccinia Virus, live) for persons determined to be at high risk for smallpox infection.

https://pdf.hres.ca/dpd_pm/00073682.PDF

Smallpox and Monkeypox - **IMVAMUNE**[®]

Smallpox and Monkeypox Vaccine Modified Vaccinia Ankara-Bavarian Nordic[®] (live-attenuated, non-replicating) for adults 18 years of age and older determined to be at high risk for exposure.

https://pdf.hres.ca/dpd_pm/00058622.PDF

Td - **Td ADSORBED**

Tetanus and Diphtheria Toxoids Adsorbed for persons 7 years of age and older.

https://pdf.hres.ca/dpd_pm/00020609.PDF

Tdap - **Adacel**[®]

Tetanus Toxoid, Reduced Diphtheria Toxoid and Acellular Pertussis Vaccine Adsorbed for persons 4 years of age and older.

https://pdf.hres.ca/dpd_pm/00016744.PDF

Tdap - **BOOSTRIX**[®]

Combined diphtheria, tetanus, acellular pertussis (adsorbed) vaccine for individuals from the age of four years onwards, and passive protection against pertussis in early infancy following maternal immunisation during pregnancy.

<https://ca.gsk.com/media/6234/boostrix.pdf>

Tdap IPV - **Adacel**[®] - **Polio**

Tetanus Toxoid, Reduced Diphtheria Toxoid and Acellular Pertussis Vaccine Adsorbed Combined with Inactivated Poliomyelitis vaccine for persons 4 years of age and above, and during pregnancy for passive immunization against pertussis disease in young infants.

https://pdf.hres.ca/dpd_pm/00058123.PDF

Tdap IPV - **BOOSTRIX**[®] - **POLIO**

Combined diphtheria, tetanus, acellular pertussis (adsorbed) and inactivated poliomyelitis vaccine for individuals from the age of four years onwards, and passive protection against pertussis in early infancy following maternal immunisation during pregnancy.

<https://ca.gsk.com/media/6235/boostrix-polio.pdf>

Typhoid Fever - **Typhim Vi**[®]

Salmonella typhi Vi Capsular Polysaccharide Vaccine for persons 2 years of age and older in indicated situations.

https://pdf.hres.ca/dpd_pm/00061819.PDF

Typhoid Fever - **Vivotif**[®]

Typhoid vaccine live oral attenuated TY21A for adults and children against disease caused by *Salmonella typhi*.

https://pdf.hres.ca/dpd_pm/00029121.PDF

Chickenpox - **VARILRIX**[®]

Varicella virus vaccine, live, attenuated (Oka-strain) for healthy subjects from 12 months of age and up, and susceptible high risk patients and their susceptible healthy close contacts.

<https://ca.gsk.com/media/6263/varilrix.pdf>

Chickenpox - **VARIVAX**[®] III

Varicella virus vaccine, live, attenuated [Oka/Merck] for individuals 12 months of age and older.

https://pdf.hres.ca/dpd_pm/00056260.PDF

Yellow Fever - **YF-Vax**[®]

Yellow Fever vaccine for persons 9 months of age or older. It is indicated for both primary and booster vaccination.

https://pdf.hres.ca/dpd_pm/00010574.PDF

Shingles - **Shingrix**[®]

Herpes Zoster vaccine (non-live recombinant) for adults 50 years of age or older, and adults 18 years of age or older who are or will be at increased risk of HZ due to immunodeficiency or immunosuppression caused by known disease or therapy.

<https://ca.gsk.com/media/6259/shingrix-pm-en.pdf>